













## Conclusions

The analysis of the ecological and hydrological state of the tributaries of the Irpin river and their coastal areas within the city of Kyiv suggests that the Horenka and Nyvka rivers need further revitalization. The water quality class of rivers corresponds to the IV class of quality (the Nyvka River) and III class of quality (the Horenka River).

It is necessary to identify priority areas in water activities, focusing on the successful experience of European countries. Management of natural components of the city should begin with the restoration of small rivers, bringing their technogenic transformed state to the natural improvement of coastal areas.

## References

- [1].Sovhira S. V., Honcharenko H. Ye., Honcharenko V.H., Berchak V. S. 2016. Methodology of studying the ecological status of small river basins. Publisher Sochinskyi M. M., 289 p.
- [2].Vyshnevskiy V. I. 2011. Dnieper river. Interpres LTD, 384 p.
- [3].Bulent Cengiz. 2013. Urban River Landscapes, Advances in Landscape Architecture, Murat Özyavuz, IntechOpen, DOI: 10.5772/56156. Available from: <https://www.intechopen.com/books/advances-in-landscape-architecture/urban-river-landscapes>
- [4].Francis Robert. 2012. Positioning urban rivers within urban ecology. Urban Ecosystems. 15. P. 285-291. DOI 10.1007/s11252-012-0227-6.
- [5].Revitalization of Urban River Spaces. 2012. Urban Rivers – Vital Spaces. 327 p. Available from: <http://www.upv.es/contenidos/CAMUNISO/info/U0643715.pdf>
- [6].Samoilenko V.M., Veres K.O. 2007. Modeling of urban-basin geosystems Моделювання Ніка- Center, 296 p.
- [7].Madzhd S.M., Kulynych Ya.I., Iavniuk A.A. 2017. Environmental assessment of anthropogenically-modified systems of the Irpin River. Visnyk. NAU. No.2. p. 93–98.